

14107-105C

DELPHION**RESEARCH****PRODUCTS****INSIDE DELPHION**

My Account

Search: Quick/Number Boolean Advanced Der

The Delphion Integrated ViewGet Now: PDF | [File History](#) | [Other choices](#)Tools: [Add to Work File](#) | [Create new Work](#)View: [Expand Details](#) | [INPADOC](#) | [Jump to:](#)

Top

[Go to: Derwent](#)[Email](#)

Title: **EP0289930A2: Monoclonal antibody for the selective immunological determination of intact procollagen peptide (type III) and procollagen in body fluids**[\[German\]](#)[\[French\]](#)

Derwent Title: New monoclonal antibody - specific to pro-collagen peptide, useful as immunoassay reagent [\[Derwent Record\]](#)

Country: EP European Patent Office (EPO)

Kind: A2 Publ. of Application without search report i (See also: EP0289930A3, EP0289930B1)

Inventor: Brocks, Dietrich, Dr.;
Pünter, Jürgen, Dr.;
Strecker, Helmut, Dr.;
Timpl, Rupert, Dr.;

Assignee: HOECHST AKTIENGESELLSCHAFT
Max-Planck-Gesellschaft zur Förderung der Wissenschaften e.V.

Corporate Tree data: [SanofiAventis \(SANOFIAVENTIS \)](#); [Aventis SA \(AVENTIS \)](#); [Hoechst AG \(HOECHSTAG \)](#) [more...](#)
[News](#), [Profiles](#), [Stocks](#) and [More about this company](#)

Published / Filed: 1988-11-09 / 1988-04-27

Application EP1988000106748

Number:

IPC Code: Advanced: [C07K 16/18](#); [G01N 33/68](#);

Core: [more...](#)

IPC-7: [C07K 15/00](#); [C12N 5/00](#); [C12N 15/00](#); [C12P 21/00](#);
[G01N 33/577](#); [G01N 33/68](#);

Priority Number: 1987-05-02 DE1987003714633

Abstract: Procollagen peptide can be determined with great accuracy in body fluids with the aid of a monoclonal antibody which is specifically directed against an epitope of the amino-terminal procollagen peptide (type III) which is not present in Col 1.

INPADOC [Show legal status actions](#)

Get Now: [Family Legal Status Report](#)

Legal Status:

Designated AT BE CH DE ES FR GB GR IT LI LU NL SE

Country:

Family: [Show 44 known family members](#)

First Claim:

[Show all claims](#)

1. Monoklonaler Antikörper mit dem in Figur 3 dargestellten Reaktionsmuster gegenüber intaktem Prokollagen (Typ III) und pN-Kollagen (Peak 4a), intaktem aminoterminalen Prokollagen Peptid (Typ III) (Peak 5a) sowie Col 1 und Abbauprodukten des

